



TURF-TICK

VANVUUREN

M A C H I N E S



TURF \equiv TICK®

The new clip-on clip-off concept in turfharvesting offers:

- * Utmost flexibility
- * Optimal duration
- * Lowest required investment

SHARP AND EQUAL cut by:

- * Independently floating cutterhead
- * Low weight centerpoint
- * Balanced cranshaft

resulting in a weight reduction of up to 30% in the harvested product.



ANY TRACTOR of choice (even four-wheel-drive) can be used to operate the **TURF-TICK**.

In no more than one minute the **TURF-TICK** can be clipped on or clipped off.

The unique connection with pivot-axles provides optimal weight-sharing between the tractor and the support wheels of the machine.

Easy truck-transport is possible by splitting the machine in two major parts.



TIGHT ROLLS are produced, even in week turf, by the unequalled one-unit rolling system.

Flexible elements turning the rolls guarantee, independent of weather and field conditions, sure-grip operation and constant performance.


TURF-TICK, again an exquisite design by **VANVUUREN MACHINES**

SPECIFICATIONS

CUTTING WIDTH:	16" (optional 18").
CUTTING LENGTH:	Adjustable from 45" to 100".
CAPACITY:	Up to 1700 square yards p/h.
WEIGHT:	Approximately 2600 lbs.
TRANSPORT WIDTH:	Approximately 10 ft.
BEARING TYPES:	Brass bushes in low duty points, roller or ball bearings in heavy duty rotational points. All bearings regreasable.
CONVEYOR TYPE:	Five separated high duration rubber belts around stainless steel rollers.
BLADE TYPE:	Standard R&R.
CRANC-SHAFT:	Hardened steel, balanced for tremor-free operation.
REQUIRED TRACTOR:	Two- or fourwheeldrive with a minimum of 40 H.P., Category II three-point hitch, minimal one-single acting hydraulic plug-in.

OPTIONS

- * P.T.O. driven hydraulic system with electric push-button switch-on control.
- * Rotary brush, hydraulically speedadjustable.
- * Electric depth control motor for adjusting cutting thickness from tractor seat.
- * Crossconveyor, hydraulically speedadjustable.
- * Polyester roof, to protect the operator from sun and rain.
- * Chain-wheel set, to harvest other dimensions than the 1m² roll, eg. 1 square yard or 3/4 square yard.



* Design and specifications are subject to change without any notice. The **TURF-TICK** design is patented worldwide.

VANVUUREN

HARMELERWAARD 21, 3481 LC HARMELLEN, THE NETHERLANDS, TEL.: 31-30-6661348, FAX: 31-30-6661340

M A C H I N E S